ACS-1803 Introduction to Information Systems

Instructor: Kerry Augustine

Telecommunications & The Internet

Lecture Outline 9-2

Network Computing

D-M

1

Computer Networking

- Networks have existed from the early stages of human civilization
- Ancient Rome:Water supply system serving multiple communities covering large territories
- > Network:"a group or system of interconnected people or things."
- A computer Network is a group of two or more computing devices that are linked through some medium
- Computer networks use computing and telecommunication technologies
- Its evolution is at the interface of these two technologies
- What is the reason computer networks exist?

© 2016 Cengage Learning[®], All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.

B-A

Telecommunications

- Telecommunications is the electronic transmission of signals for communications
- Telecommunications medium: any material substance that carries an electronic signal to support communications between a sending and receiving device



64

Computer Network

- A computer network consists of two or more computing devices connected by a medium allowing the exchange of electronic information
- Consists of communications media, devices, and software needed to connect two or more computer systems or devices
 - Can transmit and receive information to improve organizational effectiveness and efficiency
- > Network nodes: the computers and devices on the networks
- Organizations can use networks to share hardware, programs, and databases

© 2016 Cengage Learning[®]. All Rights Reserved. May not be scanned, copie or durificated, or nested to a publicity accessible website, in whole or in part

B-A

Network Topology

- Refers to how the communication links and the hardware devices are arranged on a network
 - Star Network
 - Connected through a hub nodeBus Network:
 - There is a common backbone
 - Mesh Network:
 - All devices are access points and connected to one another








B-91

Client/Server Systems

- Client/server architecture features multiple computer platforms dedicated to special functions, e.g., database management, printing, or communications
 A client is any computer that sends messages requesting services from the
- servers on the network
- A database server sends only the data that meets a specific query—not the entire file



Bef.

Network Types

Personal area networks:

 Support interconnection of information technology within a range of about 33 feet

Local area networks:

- Connect computer systems and devices within a small area (e.g., office or home)
- Computer network in a small area
- Private cabling (twisted pair or coaxial)
- Some may be wireless
- Usually has a file server ("captain")
 Wide area networks:
 - Connect large geographic regions
 - WANs consist of:
 - Computer equipment owned by the user
 - Data communications equipment and telecommunications links provided by various carriers and service providers
 - provided by various carriers and service providers
 - © 2016 Cengage Learning[®]. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.

8

9

D-9

Speed of Transmission

- Channel bandwidth: the rate at which data is exchanged, measured in bits/sec
- Broadband communications: a relative term; a telecommunications system that can transmit data very quickly > 25 Mbps
- Measures in bits per second (bps)
 - > Thousands of bite per second Kbps
 - Millions Mbps
 - Billions Gbps

B-9

Transmission Media

- Physical pathways between network members
- Computers send bits to each other (+ / -)
- Different media chosen to make up pathways
- Cables: twisted pair, coaxial, fiber optic
- Wireless: infrared line of sight, high frequency radio, microwave Wi-Fi
- Two broad categories
 - Wired (guided) transmission media: signals are guided along a solid medium
 - Wireless: the signal is broadcast over airwaves as a form of electromagnetic radiation

© 2016 Cengage Learning[®]. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.



Transmission Media

· Twisted-pair wire

- · Shielded or unshielded twisted pairs of copper wire
- · Used for telephone service
- · There are transmission and distance limitations Coaxial Cable

 - · Inner conductor wire surrounded by insulation · Cleaner and faster data transmission than twisted-pair wire
 - · More expensive too
- Fiber Optic
 - Thin strands of glass bound together in a shell, uses light beams to transmit signals
 - Smaller diameter than coaxial, less signal
 - distortion, capable of high transmission rates Even more expensive to purchase and install

© 2016 Cengage Learning[®]. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.





11

10

₿e≙

Wireless Technologies

- > Wireless transmission involves the broadcast of communications in one
 - of three frequency ranges
 - Radio, microwave, or infrared frequencies
- > In some cases, use of wireless communications is regulated
- > The signal must be broadcast within a specific frequency range to avoid interference with other wireless transmissions


TABLE 4.2 Frequency ranges used for wireless communications


Technology	Description	Advantages	Disadvantages
Radio frequency range	Operates in the 3 KHz- 300 MHz range	Supports mobile users; costs are dropping	Signal is highly susceptible to interception
Microwave— terrestrial and satel- lite frequency range	High-frequency radio signal (300 MHz-300 GHz) sent through the atmosphere and space (often involves com- munications satellites)	Avoids cost and effort to lay cable or wires; capable of high-speed transmission	Must have unobstructed line of sight between sender and receiver; signal is highly sus- ceptible to interception
Infrared frequency range	Signals in the 300 GHz- 400 THz frequency range	Lets you move, remove, and install devices without expensive wiring	Must have unobstructed line of sight between sender and receiver; transmission is effec- tive only for short distances

© 2016 Cengage Learning[®]. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.

₽e?

Networking Fundamentals – Media (Wireless)





B-A

Telecommunications Hardware

Smartphones:

- Combine the functionality of a mobile phone, camera, Web browser, e-mail tool, MP3 player, and other devices
- Have their own software operating systems
- Applications are developed by:
- > The manufacturers of the handheld device
- The operators of the communications network on which they operate
- Third-party software developers

© 2016 Cengage Learning[®]. All Rights Reserved. May not be scanned, copie or duralizated, or posted to a publicity accessible website, in whole or in part. 14

D-M

Communications Media

- **3G** wireless communications:
 - Supports wireless voice and broadband speed data communications in a mobile environment
- 4G wireless communications:
 - $\triangleright\,$ 4G will also provide increased data transmission rates in the 20–40 Mbps range
 - LTE Long Term Evolution
- **5G** is the latest generation of cellular mobile communications.
 - 5G performance targets high data rate, reduced latency, energy saving, cost reduction, higher system capacity, and massive device connectivity.

Ъ¢.


Wireless Technologies


- Near Field Communication (NFC)
- Short-range wireless connectivity
 Used on cellphones and credit cards
- Bluetooth
 - Distances of 10-30 feet
 - Speed: 2Mbps
 - Devices must be paired to communicate
- ▶ Wi-Fi

Þ

- $\triangleright\,$ Communication through a wireless adapter on the device (cellphone, Laptop, etc.)
- The wireless adapter translates data into radio signals
- Wireless access point connected to the computer
 - > Transmitter, antenna, receives signal and decodes it

© 2016 Cengage Learning[®]. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.






Definition of the

- The Internet "Network of Networks"
- > Large, worldwide collection of networks that use a common protocol to communicate with each other







How the Internet Works – Connecting to the Internet ARPANET (Advanced Research Project Agency Network)

• Created in the 1960s by DARPA (Defense Advance Research Projects Agency)
• Used by government and universities for research purposes
 Modem (stands for Modulate/Demodulate)

 • A modem converts signals back and forth from digital to analog for transmission and receipt between computers

 • A computer requires a modem to get access to the Internet
 Internet Service Provider (ISP) These companies provides access to the Internet for a fee (*i.e. MTS*, Shaw)
 A computer is connected to an ISP through a modem to allow Internet access Network Access Points (NAPs) • NAP's connect ISPs together • They serve as Internet access points for the ISPs and serve as exchange points for Internet traffic

Internet Backbone

Collection of main network connections and telecommunications lines that make up the Internet

21

Ø 2016 Cengage Learning[®], All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.

B-91

Internet Backbone

- Network hardware that makes internet connections possible.
- Special technology for the construction of transmission lines. These networks do not serve end users, they connect equipment of each of the networks that participate.
- Internet service providing companies own this network hardware and they interconnect it to make worldwide communications possible.
- Cables, routers, switches, antenna towers, satellites, etc..





Network Protocols

In general:

- Protocol set of rules on HOW to do something
- Here:
- agreed upon formats for transmitting data between connected computers
- How to arrange data packets, how to signal end of message, how to specify destination address etc.

© 2016 Cengage Learning®. All Rights Reserved. May not be scan or durificated, or nested to a publicly accessible website, in whole 23

B-0

TCP/IP & Routers

TCP/IP Approach

TCP – Transmission Control Protocol • Breaks information into small chucks called data packets • Manages the transfer of the packets from computer to computer • Reassembles data packets into a message at the destination

IP – Internet ProtocolControls how data packets are formed

Addresses each packet with the source and destination address
 A data packet conforming to the IP spec is called an IP datagram

Routers

Connect one network to another • Identify each device on a network as unique using IP protocol • Serve as the "Traffic Cop" directing packets to their destination

© 2016 Cengage Learning[®]. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.

Packet Switching


1ete

l Ma

I want to communicate with you.	Original text message
0010110110001001101110001101	Text message digitized into bits
01100010 10101100 11000011	Digital bits broken into packets
0011001 10101100 11000011	Header information added to each packet indicating destination, and other control information, such as how many bits are in the total message and how many packets
© 2016 Congage Learning [®] All Topics or duplicated, or posted to a publicity ac	

Packet Switching vs Circuit Switching

- Internet uses packet switching to enable users to transmit across it concurrently
- What is to be sent down the network is 'sliced up' into packets
- > Each packet has header with source and destination address
- Each computer attached to a network has a unique network address
 Packet routing through WAN/Internet



26

The World Wide Web

Ъ¢.

The World Wide Web

- Developed by Tim Berners-Lee at <u>CERN</u> (c. 1980)
- Originally conceived of as an internal documentmanagement system
- The Web has grown to become:
- A primary source of news and information
- An indispensible conduit for commerce
- A popular hub for social interaction, entertainment, and communication


© 2016 Cengage Learning[®]. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part. 28

<section-header><section-header><section-header><section-header><list-item><list-item><list-item>



Br≏

World Wide Web - Architecture



100

Internet Protocol (IP) Addresses

- Each domain name
- uwinnipeg.ca
- ▶ is associated with an IP Address
 - Number assigned to each device (e.g., computer, printer) participating in a network that uses the internet protocol (IP)
 - 32-bit numeric address (4.29 Billion IP addresses)
 - written as 4 numbers separated by periods (IPv4)
 - Domain name is translated to IP Address by a special server on the Internet
 - ▶ e.g.. 1.160.10.240

© 2016 Cengage Learning[®], All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.

le de

IPv6

- June 6, 2012, Internet Society launched IPv6
- I 28-bit addresses, able to handle up to I quadrillion addresses
- written as 6 sets of numbers marked by colons
- e.g.. 2001:db8:85a3::8a2e:370:7334




31

© 2016 Cengage Learning⁹. All Rights Reserved. May not be scanned, copie or duplicated, or posted to a publicly accessible website, in whole or in part.

32

Ref.

World Wide Web



© 2016 Cengage Learning[®]. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.

1ete

World Wide Web

	Hypertext • A Web page stored on a Web server • Contains information and links to other related information (hyperlinks)
A manufacture of the second se	HTML (Hypertext Markup Language) • A standard method used to specify the format of Web pages • Uses codes/tags which stipulate how the content should appear to the user
Web Browser	Web Browser A software program used to locate and display Web pages Includes text, graphics, and multimedia content

© 2016 Cengage Learning[®], All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.


34


How the Internet Works – Web Addresses & Domains

dd 1 http://www.nicrosoft.coei/security/default.resp	Microsoft.com Home Site Map
Domain • Identifies the Website (host) • Comes in many suffixes such as: .edu (educational institutions) .org (organizations; non-profit .mil (military) .net (network organizations) Example: microsoft.com uwinnipeg.ca	IP Address • Each domain is associated with one or more IP addresses • Format: a 32-bit address written as 4 numbers (from 0-255) separated by periods Example: 1.160.10.240
URL) Uniform Resource Locator Identifies particular Web pages within a c Example: http://www.microsoft.com/se	



ЪA,







B∕*

HTML (Hypertext Markup Language

<html> <head> <link rel=File-List href="Index_files/filelist.xml"> <title>ACS 1803 Introduction to Information Systems</title> </head> <body lang=EN-CA link=blue vlink=purple style='tab-interval:36.0pt'> <h1><Welcome to Section 053</h1>

</body> </html>

> © 2016 Cengage Learning[®]. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.

37

38

IV.

A Website

- Collection of interlinked web pages created by the same author(s) for common purpose
- Respond to requests over the Internet from browsers according to the <u>hypertext transfer protocol</u> (http)
- URL (Uniform Resource Locator)
- Each site has a URL address
- http://www.uwinnipeg.ca

© 2016 Cengage Learning[®]. All Rights Reserved. May not be scanned, copies or duplicated, or posted to a publicly accessible website, in whole or in part.

Br€t

Web addresses

- Website: http://www.yyy.zz
- Page on that site: http://www.yyy.zz/xx
- Domain name: yyy.zz
- Prefix: yyy e.g. uwinnipeg
- Suffix:zz
- ▶ e.g.
 - ▶ .com business
 - .org nonprofit organization
 - .ca Canada

Internet email address

john@uwinnipeg.ca

e-mail address has @ symbol

user name @ domain name

Domain names (general areas): .com commercial organization .edu educational organization .gov government organization

.ca Canada .us U.S. .hk Hong Kong

> © 2016 Cengage Learning[®]. All Rights Reserved. May not be scanned, copiec or duplicated, or posted to a publicly accessible website, in whole or in part.

le fai

D-9

Types of Websites

- 1. <u>Static</u>: collection of static documents created in HTML and tied together with links
- 2. <u>Static with forms</u>: 90% is pure document delivery, but also has fill-in forms to collect information from the user
- 3. <u>Dynamic Data Access</u>: via a Web page, users can search a catalogue or perform queries on the contents of a database, e.g. University Course Registration
- 4. <u>Web-based Software Applications</u>: facilitate business processes beyond voiding information; have a business information system on a Web-site, e.g., inventory tracking, sales force automation

© 2016 Cengage Learning[®]. All Rights Reserved. May not be scanned, copie or duplicated, or posted to a publicly accessible website, in whole or in part.

B-A

Cloud Computing

- Software and storage provided as an internet service and accessed within a web browser
- Example: Email, Data storage, skydrive, tax software, flicker, facebook.
- Soon most computing will take place on the internet



40

B-A

Cloud Computing – Advantages to Businesses

- Outsourcing Resources Saves on system design, installation, and maintenance
- · Provides an ability to access corporate systems from any Internet-connected device
- · Increases the data storage capabilities of the firm
- Data safeguarding responsibility of service provider

© 2016 Cengage Learning[®]. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.



ming^e. All Right

Bei i

Search Engines


- Search engines are programs that search documents for specified keywords and returns a list of the documents (web pages) where the keywords were found
- Biggest application on the web
- Web Search is such a profitable business (Google \$136.8B annual revenue) because it is an application that is of use to everybody
- > Search engines are an important contributor to the development of the Web and the Internet
- > Today businesses build their websites using `Search Engine Optimization (SEO)`

45

B-A

B-A

Overview of a Web Session





Overview of a Web Session

- 1. User, with browser software, requests a document from a remote Web server on the Internet
 - enters desired address as Uniform Resource Locator (URL) e.g., http://www.irwin.com
- 2. Actual address is determined from a domain name server (computer) on the Internet
- 3. Once the machine has been located, a request can be sent to the server
 - discussion between the Web browser and the Web server is handled by HTTP (hypertext transfer protocol - defines how a client must ask for data (pages) from the server and how the server responds when it returns what was asked for

{HTTP does not specify how the data is transferred, that is up to TCP/IP, at a lower level}

© 2016 Cengage Learning[®]. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.

D-M

ь

5

Overview of a web session (cont`d)

4. Server attempts to process request (is it valid?)

- they send data from disk onto the network; it uses Web Server software, such as Apache
- 5. The browser, on the client, reads what has been sent to it, identifies it as an HTML document, and places the page in the browser window
 - information moves from the network or modem to the client system
 - once in the client computer, information goes along a bus to the hard disk or into main memory (browser might temporarily put info onto disk)
 - it is then processed by the browser software only)

© 2016 Cengage Learning[®]. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part. 48

li di


The Internet Summary

Three important concepts:

- L Client/server computing
- 2. Packet switching
- 3. TCP/IP communications protocol

© 2016 Cengage Learning[®]. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part. 49





The Evolution of the Web

Web 1.0 - Web 2.0 - Web 3.0

- Web 1.0 = display simple pages, allow non-linear navigation
- Web 2.0 = user-centered applications and social media
 - technologies

B-4

- User-generated content and communication
- Highly interactive, social communities
 Large audiences; yet mostly unproven business models
- Examples: Twitter, YouTube, Instagram, Wikipedia, Tumblr
- Web 3.0 = Semantic Web = The Intelligent Web = Internet of Things
- Convergence of several emerging technology trends: Ubiquitous Connectivity (i.e. mobile devices); Network Computing (SaaS); Open Technologies (i.e. open API's, open data, open source); Open Identity (i.e. portable identity and personal data)

52

© 2016 Cengage Learning[®], All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.

B-A

Transforming Web 2.0 to Web 3.0



D-9

The Future Internet – Web 3.0

- The Internet2 Project
 - Consortium of 350+ institutions collaborating to facilitate revolutionary Internet technologies
 - > Guaranteed service levels and lower error rates
 - Ability to purchase the right to move data through network at guaranteed speed in return for higher fee
- ▶ The Internet of Things (IoT)
 - > Objects connected via sensors/RFID to the Internet
 - 8 ways the Internet of things will change the way we live and work
 - I6 Stunning Statistics that Forecast the Future of the Internet of Things

Ø 2016 Cengage Learning[®], All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.

₿A1

The Internet of Things (IoT)

Internet of Things (IoT)

- > A network of physical objects (things) embedded with sensors, processors, software, and network connectivity capability to enable them to exchange data with the manufacturer of the device, device operators, and other connected devices
- > Sensor: a device that is capable of sensing something about its surroundings such as
 - > Pressure, temperature, humidity, pH level, motion, vibration, or level of light

© 2016 Cengage Learning[®]. All Rights Reserved. May not be scanned, copied or duplicated, or posted to a publicly accessible website, in whole or in part.

55

B-A

The Internet of Things (IoT)



© 2016 Cengage Le or duplicated, or p arning[®]. All Rights F erved. May not be scanned, copie

Defit

The Internet of Things (IoT)

- > Examples of using sensors and the IoT to monitor and control key operational activities:
 - Asset monitoring
 - Construction
 - Agriculture
 - Manufacturing
 - Monitoring parking spaces
 - Predictive Maintenance
 - Retailing
 - Traffic monitoring



