



THE UNIVERSITY OF WINNIPEG

ACS-1809-051

Web design and Development

Chapter 4

DISCOVER • ACHIEVE • BELONG


A note on the use of these slides:

These slides has been adopted and/or modified from the original for the use in this course. The author of the text have make these slides available to all (faculty, students, readers) and they obviously represent a *lot* of work on their part.

In return for use, please:

- If slides are being used (e.g., in a class) that the source be mentioned (after all, the author like people to use our book!)
- If any slides are being posted on a www site, note that they are adapted from (or perhaps identical to) the author original slides, and note their copyright of this material.

© McGraw-Hill Osborne Media 2013, HTML. A beginners guide, 5th Edition



Working with Text

- In this chapter we will study
 - Ensuring Onscreen Readability
 - Adding Logical Emphasis to Sections of Text
 - Style Sections of Text Changing Font Characteristics

Ensure Onscreen Readability

- Always try to avoid putting extensive amounts of text on a screen
 - Difficult on the eyes
 - Tiresome and inconvenient
 - Reading from screens is very different from printed materials
 - So you better treat them differently
 - Put no more than 50 percent of the text you would have used in a hardcopy publication.

Ensure Onscreen Readability

- Keep these points in mind
 - Keep it short and concise
 - Web users' attention to your page likely won't last over several screens or several seconds
 - If you have to put a long article on your website then try to break it into multiple pages
 - Separate paragraphs with blank lines
 - `
`
 - Limit column widths
 - To ease and speed reading
 - It's suggested a 200-400 pixel width

Ensure Onscreen Readability

- Avoid using underlining – “_”
 - That means “Link”!
- When centering text, use moderation
- Don’t overemphasize
- Avoid using all capital letters
 - A good example is the street/highway signs
- Use lists and group related information
 - Easier to scan quickly the contents
- The most important information at the top
 - Web users might not have the patience to scroll down

Ensure Onscreen Readability

- Use descriptive headlines
 - Users actually read very little from a mess of text
 - To help to really catch their attentions
- Make information easy to find
 - Most studies show users don't click more than 3 times on a web site to find information they want
 - So don't burry the content deep
- Put a search engine on your website if you have quite some pages
- “5-second” rule
 - Could the users be able to pick out the main point(s) within five seconds? If not, you might want to rework the content.

Markup Text

- The ways of formatting text in HTML
 - Text-level semantics
 - How the affected text will be used on the page
 - Not how it will be displayed
 - The web browsers decide how to display the affected text
 - Examples:
 - Abbr, em, dfn, small, strong, sub, sup, ...
 - Check out Table 4-1 in the textbook, it has a list of the most commonly used semantics elements

Style Text

- There are so many style properties to affect about any aspect of text
 - A big portion is about the fonts used to display text on screen
 - We will concentrate on this now
 - However, you as the web designer, don't have the ultimate control of the fonts
 - The web users do!
 - Through the configuration of their web browsers


Font Family or Font Faces

There five possible generic font families and they are:

- serif (e.g., Times New Roman)
 - Serif typefaces have decorative serifs
- sans-serif (e.g., Helvetica or Arial)
 - San-serif typefaces have straight letter strokes that do not end in serifs
- Monospace (e.g., Courier or New Courier)
 - all characters take up the same amount of horizontal space on a line
- Cursive (e.g., Zapf-Chancery or Comic Sans)
 - These fonts emulate a script or handwritten appearance.
- Fantasy (e.g., Western, Impact, or some display-oriented font)
 - They are purely decorative and would be appropriate for headlines and other display type.
 - Fantasy is not commonly used for web sites, as it is difficult to anticipate which font to use and if it will be legible online.

Font Family or Font Faces


*decorative
serif stroke*



Si

serif font
(Times)

*straight
strokes*



Si

sans serif font
(Helvetica)

Font Family or Font Faces

- On property of the font family
 - It means the name of the font used on the page
 - You can use any font name
 - But the font family can be unavailable on the user's computer
 - Then the browser will use the default font face on the user's system to replace the one you indicated
 - To address this problem you can specify the backup fonts
 - So the browser can keep looking up fonts down the list, until it finds a match (or not)

Font Family or Font Faces

- Example: `<p style="font-family: 'gill sans', verdana, arial, helvetica;">`
- Here I have given the browser four choices, in hopes that it will find one of them on the viewer's system.</p>
- There are several font faces that have become quite popular
 - You have a better chance to have them available on the web users' computers
 - Check out Table 4-2 in the textbook

Font Sizes

- You can change the size of the font
 - You use the font-size property to change the size
 - There are several ways to do that
 - Using Keyword
 - xx-small, x-small, small, medium, large, x-large, xx-large
 - Check Table 4-3 in the textbook for the approximate sizes of the keywords
 - And Figure 4-2 in the textbook for the effect on the text
 - Even with the same size, the fonts on a Mac look a tad bit smaller than the same fonts on a PC

- Relative size
 - Smaller / larger
 - To fine tune the font size of the affected text
 - » Make the text a tad smaller than the default size
 - It's flexible to make a change later while still keep this “smaller/larger” characteristic
- Measured size
 - Number followed by the unit
 - » 12pt, 9px, 50%, 1.5em
 - The last two are relative to the default font of the web browser

Font Sizes

The different units are:

- “Ems” (em):
 - The “em” is a scalable unit that is used in web document media.
 - An em is equal to the current font-size, so if the font-size of the document is 12pt, 1em is equal to 12pt. Ems are scalable in nature, so 2em would equal 24pt, .5em would equal 6pt, etc.
 - Ems are becoming increasingly popular in web documents because of the scalability and their mobile-device-friendly nature.
- Pixels (px):
 - Pixels are fixed-size units that are used in screen media.
 - One pixel equals to one dot on the computer screen.
 - Web designers lie to use pixel units in web documents to produce a pixel-perfect representation of their site as it is rendered in the browser.
 - The issue with the pixel unit is that it does not scale upward for visually-impaired readers or downward to fit mobile devices.

Font Sizes

The different units are:

- Points (pt):
 - Points are traditionally used in print media.
 - One point is equal to $1/72$ of an inch.
 - Points are much like pixels, they are fixed-size units and cannot scale in size.
- Percent (%):
 - The percent unit is like the “em” unit, with some fundamental differences.
 - The current font-size is equal to 100%, i.e. $12\text{pt} = 100\%$.
 - When using the percent unit, your text remains fully scalable for mobile devices and for accessibility.

Font Colors

- Very frequently used CSS properties
 - The “color” property
 - Used to change the color of any item in the foreground
 - The “background-color” property
 - Used to change the color of any item in the background
 - This item can be any HTML element: page, headline, paragraph, etc.

– Example: `<p style="color: purple; background-color: yellow;">`

This is an example of showing how to change the foreground colour and background colour using CSS properties.</p>


When choosing colour, you should follow three basic categories of color theory:

- The colour wheel
- Colour harmony
- Colour context

Colour Wheel



THE UNIVERSITY OF
WINNIPEG



DISCOVER · ACHIEVE · BELONG

Print Friendly Web Page

- People may want to print your web page, there are two ways to create a print friendly web page
 - By using PDF file
 - Need to create the PDF file and link to the page
 - Not every one has Adobe reader
 - By using CSS file
 - Need to create two CSS file, one for screen and one for print

```
<link href="screen_only.css" media="screen" rel="stylesheet" Type="text/css">  
<link href="print_only.css" media="print" rel="stylesheet" type="text/css">
```

- Note the attribute “media” need to be stated so that the browser will use the correct style sheet.

Questions?



QUESTIONS



now